

Dustbins

Steel Containers



**Production
and Sales**


- Top Quality
- Hot zinc dipped steel sheet
- Customized special equipment

Dustbin 95 L



95 L

The handy, zinc dipped sheet steel container for special applications has a nominal volume of 95 L. A Fire Safety Certificate is granted to this container and thus particularly qualifies it for the collection and temporary storage of oily fluids and hot waste. Its rugged design guarantees a long service life. A high-quality hot dip galvanizing provides metal corrosion protection. High-quality steel sheets are used exclusively. The container has noise-absorbing rubber feet at the bottom.



Dustbin 120 | 140 | 240 L



120 L

240 L

This handy, zinc dipped sheet steel container for special applications is coming in these nominal volumes: 120 L, 140 L, and 240 L. A Fire Safety Certificate is granted to this container and thus particularly qualifies it for the collection and temporary storage of oily fluids and hot waste. A stable running gear in its lower body causes the container to easily move and tilt as to ensure its entire maneuverability even when heavily charged. A high-quality hot dip galvanizing provides metal corrosion protection. High-quality


steel sheets are used exclusively. All containers are completed with galvanized, impact-proof and noncorrosive plain steel axles. The wheels carry a quiet running, solid rubber tire which is subject to DIN EN 840 certification. A spring-loaded steel pin which snaps in the axle's groove fixes the wheels. A locking ledger attached at the container provides easy pick-up, lifting and tipping for drawdown.



120-L dustbin with special equipment: Powder-coated cover lid with inscription

Customized equipment

for 120 | 140 | 240 L
on request




	120 L	140 L	240 L
Height mm	920	1050	1060
Breadth mm	460	460	600
Depth mm	568	568	740
Dead Weight kg	30	32	37
Thickness mm	1,2	1,2	1,2



Foot pedal device

- Galvanized with rubber pedal
- Available in different paints
- Lid opens up to 50°, extended manual opening up to 90°
- Both hands remain free, better hygiene
- Shockproof and ergonomic design



Feed slot and locking device

- Lid with integrated feed slot
- Customized feed slot opening angle
- Including cylinder lock or gravity lock



Stainless steel design

- Completely made from stainless steel
- Ideal for use in the food industry



Powder-coated

- Powder-coating with RAL paint as required, at the whole container or at the cover



Forklift pockets

- Galvanized
- Easy transfer of heavy contents



Noise protection

- Rubber in the cover lid for smooth closing



Imprint or inscription

- Customized imprint in the cover lid
- Customized inscription on the cover



E.K.H. PLAUEN
UMWELTTECHNIK

Dustbins
Steel Containers

E.K.H. Plauen GmbH
Umwelttechnik
Herstellung und Vertrieb

Schützenstraße 45
08258 Markneukirchen
Germany

Phone 0049 / 37422 / 405921
Fax 0049 / 37422 / 405923
info@ekh-plauen.com

www.ekh-plauen.com

